


Pseudo

An algorithm design language

Overview

- Concise Pythonic syntax
- Rich list support
- Robust type inference
- On-demand objects

Compiler Architecture



Syntax

```
def main():  
    print "Hello world!"
```

Syntax

```
def main():  
    a = 42  
    b = 41.15  
    c = a + b  
  
    d = "Introduction to" ^ " Algorithms"  
  
    e = true  
    f = e and false  
    g = a < 2
```

Syntax

```
def main():  
    print fib(5)  
  
def fib(n):  
    if n == 1 or n == 0:  
        return 1  
    else:  
        return fib(n - 1) + fib(n - 2)
```

Lists

- Variable-sized collections of data
- Supports primitive types and objects
- Backed by LLVM arrays
- Rich built-in functions
 - `get()`, `set()`, `length()`, `insert()`, `remove()`, `push()`,
`pop()`, `enqueue()`, `dequeue()`

Lists

```
def main():  
    a = [5, 7, 8]  
    a.insert(1, 6)  
    a.remove(3)  
    print a
```

```
[5.00, 6.00, 7.00]
```

```
def main():  
    b = ["C", "L", "R"]  
    b.push("S")  
    for letter in b:  
        print letter
```

```
C  
L  
R  
S
```


Type Inference (L1)

- Primitives: `num`, `bool`, `string`
- Infer the types of variables based on their usage (Hindley-Milner)
- Doubles as a semantic checker

Type Inference (L1)

```
def main():  
    a = 42  
    b = foo(a)  
    c = not b  
  
def foo(x):  
    if x == 42:  
        return true  
    else:  
        return false
```

```
[  
  Fdecl({ name=main; params=[]; body=  
    [  
      AAssign(a, ANum_lit(Num, 42.), Num) ;  
      AAssign(b, ACall(foo, [AVal(a, Num)], Bool), Bool) ;  
      AAssign(c, AUnop(Not, AVal(b, Bool), Bool), Bool)  
    ]}) ;  
  
  Fdecl({ name=foo; params=[(Num, x)]; body=  
    [  
      If(ABinop(AVal(x, Num), Eq, ANum_lit(Num, 42.), Bool),  
        [Return(ABool_lit(Bool, true))],  
        [Return(ABool_lit(Bool, false)])])  
    ]})  
]
```

Objects

- Containers of arbitrary data
- Backed by LLVM structs
- Flexible and on-demand

Objects

```
def main():  
    person.name = "Foo"  
    person.age = 42  
    person.alive = true  
  
    node.visited = false  
    node.flow = 7
```

Users never
explicitly define
or create objects!

Object Inference (L2)

- Novel object inference algorithm
- We determine at compile-time:
 - Whether each variable is an object, and if so:
 - Its object type (an integer id)
 - The set of fields in the object type
 - The types of those fields

Object Inference Algorithm

1. Collect fields for each object variable
2. Collect equalities for object variables
3. Unify object variables to obtain object types
4. Annotate SAST with object type ids
5. Pass to codegen the object types

Object Inference Algorithm

Coercive Object Equality Scheme

- Two objects are of the same type if they are used in a manner that would require them to be the same type
- Examples: assignment, in a list with other objects, arguments to a function

Object Inference Algorithm

Coercive Object Equality Scheme

```
def main():  
    node1.visited = false  
    node2.color = "maroon"  
    list = [node1, node2]
```


Object Initialization

- The first field assignment determines the scope of an object
- Other fields are automatically initialized to default values
- **init** keyword can also be used to initialize objects in a scope

```
def main()
    init a, b, c
    if true:
        a.foo = true
    else:
        a.bar = 42
```

Object Printing

- Our built-in **print** function also supports objects!

```
def main():  
    person.name = "Foo"  
    person.age = 42  
    person.alive = true  
  
    print person
```

```
person.name: Foo  
person.age: 42.00  
person.alive: 1
```

Key Accomplishments

- **Lists**
 - Types supported: `num`, `bool`, `string`, `Object`
 - Rich built-in function support
- **Objects**
 - Novel object inference algorithm
 - Object field types supported: `num`, `bool`, `string`, `Object` (1 level), `List`
- **High Dimension Type Inference**
 - (All primitives) × (Lists) × (Objects)

Demo

Pseudo

An algorithm design language